IEEE TRANSACTIONS ON
AEROSPACE AND ELECTRONIC SYSTEMS

OCTOBER 2023 VOLUME 59 NUMBER 5 IEARAX (ISSN 0018-9251)

GUEST EDITORIAL

Automotive Imaging and Super-Resolution Radar Systems ..... *I. Bilik, J. Tabrikian, and F. Gini* 4780

SPECIAL SECTION ON AUTOMOTIVE IMAGING AND SUPER-RESOLUTION RADAR SYSTEMS

Enhanced Automotive Sensing Assisted by Joint Communication and Cognitive Sparse MIMO Radar ..... *X. Wang, W. Zhai, X. Zhang, X. Wang, and M. G. Amin* 4782

Probabilistic SAR Processing for High-Resolution Mapping Using Millimeter-Wave Radar Sensors ..... *T. Grebner, A. Grathwohl, P. Schoeder, V. Janoudi, and C. Waldschmidt* 4800

Deep-Neural-Network-Enabled Vehicle Detection Using High-Resolution Automotive Radar Imaging ..... *R. Zheng, S. Sun, H. Liu, and T. Wu* 4815

MCRB on DOA Estimation for Automotive MIMO Radar in the Presence of Multipath ..... *M. Levy-Israel, I. Bilik, and J. Tabrikian* 4831

PAPERS

Perfect Hash-Based Routing Lookup for LEO Constellation Backbone Network ..... *K. Zhang, L. Tang, C. Zhao, S. Zhong, and H. Luo* 4844

Advanced Warning of Threatening Equatorial Plasma Bubbles to Support GBAS in Low Latitudes ..... *L. Marini-Pereira, A. de Oliveira Moraes, and S. Pullen* 4858

ROEKF-MPC Estimator for Satellite Attitude and Gyroscope Bias Estimation ..... *M. S. C. Tissera, K. J. E. Foo, K.-S. Low, S. T. Goh, and R. D. Tan* 4870

Demand-Aware Onboard Payload Processor Management for High-Throughput NGSO Satellite Systems ..... *T. S. Abdu, S. Kisseleff, E. Lagunas, J. Grotz, S. Chatzinotas, and B. Ottersten* 4883

Classification Schemes for the Radar Reference Window: Design and Comparisons ..... *C. Yin, L. Yan, C. Hao, S. L. Ullo, G. Giunta, A. Farina, and D. Orlando* 4900

Formation-of-Arrays Antenna Technology for High-Throughput Mobile Nonterrestrial Networks ..... *G. Bacci, R. D. Gaudenzi, M. Luise, L. Sanguinetti, and E. Sebastiani* 4919

Event-Based Predefined-Time Deployment Control for Space Triangular Tethered Satellite System With Input Quantization ..... *B. Huang, F. Zhang, M. Song, and P. Huang* 4936

Finite-Thrust Lambert Transfer Based on Multistage Constant-Vector Thrust Control ..... *S. Bai, Y. Wang, H. Liu, and X. Sun* 4947

Optimal Orbit Design and Mission Scheduling for Sun-Synchronous Orbit On-Orbit Refueling System ..... *P. Han, Y. Guo, P. Wang, C. Li, and W. Pedrycz* 4968

High Maneuvering Target Long-Time Coherent Integration and Motion Parameters Estimation Based on Bayesian Compressive Sensing ..... *L. Yu, F. He, Q. Zhang, Y. Su, and Y. Zhao* 4984

Robust Initial Orbit Determination for Surveillance Doppler-Only Radars ..... *M. Losacco, R. Armellin, C. Yanez, L. Pirovano, S. Lizy-Destrez, and F. Sanfedino* 5000

Dual High-Resolution Correlators for Multipath Mitigation in BOC Signals ..... *Z. Tian, X. Cui, Y. Zhu, and M. Lu* 5012

(Contents Continued on Page 4774)

IEEE

(Contents Continued from Front Cover)

On Estimating Parameters of a Multicomponent Chirp Model With Equal Chirp Rates . . . . . *A. Shukla, D. Kundu, A. Mitra, and R. Grover* 5027
Airborne Flexible-Array Radar Clutter Characteristics and STAP Performance Analysis . . . . . *Y. Sun and W.-Q. Wang* 5039
Improved Moving Target Detection in Homogeneous and Heterogeneous Clutter With Limited Secondary Data Using Unit Circle Roots Constraints . . . . . *J. Smith and A. K. Shaw* 5052
Cognitive Conformal Subaperturing FDA-MIMO Radar for Power Allocation Strategy . . . . . *Z. Ding, J. Xie, and L. Yang* 5072
Fast Adaptive Spectrum Sensing Using Hardware Optimized, Cell Averaging Estimation for Cognitive Radio and Radar Applications . . . . . *R. G. Mattingly and J. G. Metcalf* 5084
Multispectrally Constrained Low-PAPR Waveform Optimization for MIMO Radar Space-Time Adaptive Processing . . . . . *D. Li, B. Tang, and L. Xue* 5097
Geometric Arithmetic Mean Method for Low Altitude Target Elevation Angle Tracking . . . . . *M. A. Sebt, M. Goodarzi, and H. Darvishi* 5111
A Bias-Reduced Solution for Multistatic Localization Using Differential Delays and Doppler Shifts . . . . . *Q. Qi, Y. Li, and Q. Guo* 5120
UAV-Enabled Mobile Edge Computing for Resource Allocation Using Cooperative Evolutionary Computation . . . . . *S. Goudarzi, S. A. Soleymani, W. Wang, and P. Xiao* 5134
Feasibility Analysis of Optical UAV Detection Over Long Distances Using Robotic Telescopes . . . . . *D. Ojdanić, A. Sinn, C. Naverschnigg, and G. Schitter* 5148
Saturated Attitude Control of Multispacecraft Systems on SO(3) Subject to Mixed Attitude Constraints With Arbitrary Initial Attitude . . . . . *Z. Kang, Q. Shen, S. Wu, and C. J. Damaren* 5158
Data-Driven Probabilistic Methodology for Aircraft Conflict Detection Under Wind Uncertainty . . . . . *J. de la Mota, M. Cerezo-Magaña, A. Olivares, and E. Staffetti* 5174
Optimized Selective Activations for Networked Filtering . . . . . *C. Wan, Y. Gao, and X. R. Li* 5187
Identity-Aware Decision Network Communication Budgeting: Is Who as Important as What? . . . . . *Z. Sutton, P. Willett, S. Marano, and Y. Bar-Shalom* 5203
Estimation of the Elementary Chirp Model Parameters . . . . . *A. Mittal, R. Grover, D. Kundu, and A. Mitra* 5218
Reinforcement Learning for the Agile Earth-Observing Satellite Scheduling Problem . . . . . *A. Herrmann and H. Schaub* 5235
Flight Control of Waverider Vehicles With Fragility-Avoidance Prescribed Performance . . . . . *X. Bu, C. Hua, M. Lv, and Z. Wu* 5248
Distributed Estimation With Adaptive Cluster Learning Over Asynchronous Data Fusion . . . . . *Y. Hua, H. Gan, F. Wan, X. Qing, and F. Liu* 5262
Optimization of Spacecraft Thrusters Configuration Under Fault Diagnosability and Recoverability Constraints . . . . . *M. Fauré, D. Henry, J. Cieslak, P. Lachevre, and F. Ankersen* 5275
Data-Driven Clustering and Bernoulli Merging for the Poisson Multi-Bernoulli Mixture Filter . . . . . *M. Fontana, Á. F. García-Fernández, and S. Maskell* 5287
Tracking Control of Quadrotor With Intermittent Target Measurements: A Stochastic Switched Systems Approach . . . . . *Y. Liang, Y. Zhu, J. Yang, L. Zhang, and M. Liu* 5302
Nonlinear Control Allocation Using a Piecewise Multilinear Representation . . . . . *J. Rajput and H. Z. I. Khan* 5314
Reducing Bias for Multistatic Localization of a Moving Object by Transmitter at Unknown Position . . . . . *J. Pei, G. Wang, D. K. C. Ho, and L. Huang* 5324
Distributed Detection With Generalized Locally Most Powerful Fusion of Compressed Local Multiframe Test Statistics . . . . . *J. Lu, S. Zhou, and X. Peng* 5342
Use of Stepped Carrier Frequency in Fast Scan Mode to Detect Small Targets on the Sea Surface . . . . . *I. Choi, S. Cha, K. Kim, and S. Park* 5363
End-to-End Monocular Pose Estimation for Uncooperative Spacecraft Based on Direct Regression Network . . . . . *H. Huang, B. Song, G. Zhao, and Y. Bo* 5378
A Unified NOMA Framework in Beam-Hopping Satellite Communication Systems . . . . . *X. Zhang, X. Yue, T. Li, Z. Han, Y. Wang, Y. Ding, and R. Liu* 5390
Singularity-Avoidance Prescribed Performance Control for Spacecraft Attitude Tracking . . . . . *J. Lei, T. Meng, W. Wang, H. Li, and Z. Jin* 5405
Explicit Joint Resolution Limit for Range and Direction-of-Arrival Estimation in MIMO Radar . . . . . *H. Zhang, D. Xu, and N. Wang* 5422
Pursuer Aim Identification for Evaders Using Bearing-Only Measurements . . . . . *S. Li, D. Zhou, Y. Li, R. Du, and J. Liu* 5433
Target Detection for Distributed MIMO Radar With Nonorthogonal Waveforms in Cluttered Environments . . . . . *C. Zeng, F. Wang, H. Li, and M. A. Govoni* 5448

(Contents Continued on Page 4775)

(Contents Continued from Page 4774)

Interval Uncertainty-Oriented Optimal Control Method for Spacecraft Attitude Control . . . . . *C. Yang and Y. Xia* 5460
Coarray Tensor Completion for DOA Estimation . . . . . *H. Zheng, Z. Shi, C. Zhou, and A. L. F. de Almeida* 5472
Robust Nonlinear Filtering: A Non-Bayesian Approach . . . . . *G. S. Fritsch and K. J. Demars* 5487
Data-Compatibility Analysis Based on Expectation-Maximization Algorithm With Unknown Noise Statistics . . . . . *J. Zuo, S. Qiu, and W. Wang* 5503
Fault-Tolerant Coverage Control of Multiple Satellites: A Differential Graphical Game Approach . . . . . *Y. Ni, H. Yang, and B. Jiang* 5516
Enhanced Spatial Spoofing Detection With and Without Direction of Arrival Estimation . . . . . *J. R. van der Merwe, A. Rügamer, and M. Lipka* 5530
Aggressive Formation Tracking for Multiple Quadrotors Without Velocity Measurements Over Directed Topologies . . . . . *J. Lin, Z. Miao, Y. Wang, G. Hu, and R. Fierro* 5541
Online Path Decision of No-Fly Zones Avoidance for Hypersonic Vehicles Based on a Graph Attention Network . . . . . *Y. Zhang, R. Zhang, and H. Li* 5554
Exploiting Unit Circle Roots for Improved Radar Moving Target Detection in Low Rank Clutter With Limited Secondary Data . . . . . *J. Smith and A. Shaw* 5568
Adaptive Antisaturation Prescribed-Time Control for Payload Retrieval of Tethered Space System . . . . . *G. Shi and Z. H. Zhu* 5588
A Platform Errors Estimation Method Based on Radar Echo for Spaceborne Doppler Scatterometer . . . . . *X. Yao, X. Wang, L. Liu, S. Liu, X. Su, and H. Huang* 5597
A Global Approach to the Design of Insulation Systems for Aerospace Electrical Assets: Focus on Printed Circuit Board . . . . . *Q. Yang, G. C. Montanari, and D. Nath* 5613
Effects of Temperature and Pressure on Failure Risk of Electric Motors Based on Partial Discharge Measurements . . . . . *W. Hassan, G. A. Hussain, F. Mahmood, M. Shafiq, and G. C. Montanari* 5624
URGLQ: An Efficient Covariance Matrix Reconstruction Method for Robust Adaptive Beamforming . . . . . *T. Luo, P. Chen, Z. Cao, L. Zheng, and Z. Wang* 5634
A Tracking Algorithm for Debris Cloud Fragments Produced by Different Hypervelocity Impacts Through Image Processing . . . . . *X. Tian, X. Wang, Y. Song, G. Wei, and R. Zeng* 5646
Deep Learning-Based Target Pose Estimation Using LiDAR Measurements in Active Debris Removal Operations . . . . . *E. A. Pensado, L. M. G. de Santos, H. G. Jorge, and M. Sanjurjo-Rivo* 5658
A STAP Detection Scheme for Low Sample Support Maritime Environments . . . . . *M. Wong, E. Aboutanios, and L. Rosenberg* 5671
Neural Network-Based Multitarget Detection Within Correlated Heavy-Tailed Clutter . . . . . *S. Feintuch, H. H. Permuter, I. Bilik, and J. Tabrikian* 5684
Commercial Fixed-Wing Drone Redirection System Using GNSS Deception . . . . . *M.-H. Chae, S.-O. Park, S.-H. Choi, and C.-T. Choi* 5699
Array Scheduling With Power and Bandwidth Allocation for Simultaneous Multibeam Tracking Low-Angle Targets in a VHF-MIMO Radar . . . . . *H. Zhang, J. Yan, W. Liu, and Q. Zhang* 5714
Simultaneous Planning and Execution for Safe Flight of Quadrotors Suffering One Rotor Loss and Disturbance . . . . . *Z. Liu and L. Cai* 5731
Distributed Event-Triggered Nonlinear Fusion Estimation Under Resource Constraints . . . . . *R. Wang, B. Chen, Z. Hu, and L. Yu* 5748
L-Shape-Model-Based Vehicle Tracking With Joint Kinematic and Geometric Estimation Using Lidar . . . . . *D. Song, R. Tharmarasa, W. Zhao, G. Li, R. Lee, and T. Kirubarajan* 5768
Variational Bayesian Inference for DOA Estimation Under Impulsive Noise and Nonuniform Noise . . . . . *K. Guo, L. Zhang, Y. Li, T. Zhou, and J. Yin* 5778
Motion Compensation in Six Degrees of Freedom for a MIMO Radar Mounted on a Hovering UAV . . . . . *P. Stockel, P. Wallrath, R. Herschel, and N. Pohl* 5791
Fault-Tolerant Design of Barrier Coverage for Periodically Repairable Wireless Sensor Networks . . . . . *A. M. Daniel and R. Mirshak* 5802
Fractionally Delayed Bayesian Approximation Filtering Under Non-Gaussian Noisy Environment . . . . . *G. Kumar, V. G. Yamalakonda, R. Swaminathan, and A. K. Singh* 5823
Integration of a Real-Time CCSDS 410.0-B-32 Error-Correction Decoder on FPGA-Based RISC-V SoCs Using RISC-V Vector Extension . . . . . *Y.-M. Kuo, M. F. Flanagan, F. Garcia-Herrero, Ó. Ruano, and J. A. Maestro* 5835
Progressive Keypoint Detection With Dense Siamese Network for SAR Image Registration . . . . . *D. Xiang, Y. Xu, J. Cheng, Y. Xie, and D. Guan* 5847

(Contents Continued on Page 4776)

(Contents Continued from Page 4775)

Multimodality-Aided Multicarrier Waveform Recognition in Low SNR Regimes Based on Denoised Cyclic Autocorrelation Transformation . . . . . *Z. An, T. Zhang, Y. Xu, G. F. Pedersen, and M. Shen* 5859
Characterization and Detection of RF Electronics Using Localized Conjugate Component . . . . . *Y. Li, W. Hu, X. Du, H. Fan, and B. Fan* 5876
Parameter Identification of a PN-Guided Incoming Missile Using an Improved Multiple-Model Mechanism . . . . . *Y. Wang, J. Wang, and S. Fan* 5888
Joint Resource and Detection Threshold Optimization for Maneuvering Targets Tracking in Colocated MIMO Radar Network . . . . . *Y. Su, T. Cheng, and Z. He* 5900
Resolving Doppler Ambiguity for Fast-Moving Targets With FDA-MIMO Radar . . . . . *Y. Wang, S. Zhu, L. Lan, J. Xu, and X. Li* 5915
Trajectory Planning for Complex Shaped Spacecraft Proximity Based on Critical Safety Curve and Disturbed Fluid . . . . . *J. Wang, R. Chen, Z. Chen, Y. Zhao, Y. Bai, and X. Chen* 5930
Onboard Observation Planning for Sequential Image-Based Planetary Landing Navigation in Unknown Environments . . . . . *J. Li, D. Wang, M. Li, T. Dong, F. Fu, and C. Xu* 5943
WAY: Estimation of Vessel Destination in Worldwide AIS Trajectory . . . . . *J. S. Kim, H. J. Park, W. Shin, D. Park, and S. W. Han* 5961
Direction Finding in Partly Calibrated Arrays Exploiting the Whole Array Aperture . . . . . *G. Zhang, T. Huang, Y. Liu, X. Wang, and Y. C. Eldar* 5978
Multiround Message Scheduling for Fast GNSS Packet Broadcasting . . . . . *F. Ardizzon, N. Laurenti, and S. Tomasin* 5993
A Systematic Method for Constrained Attitude Control Under Input Saturation . . . . . *C. Yue, T. Huo, M. Lu, Q. Shen, C. Li, X. Chen, and X. Cao* 6005
Signal Structure of the Starlink Ku-Band Downlink . . . . . *T. E. Humphreys, P. A. Iannucci, Z. M. Komodromos, and A. M. Graff* 6016
Event-Triggered Sliding Mode Control for Spacecraft Reorientation With Multiple Attitude Constraints . . . . . *J. Tan, K. Zhang, B. Li, and A.-G. Wu* 6031
Beam Scheduling for Early Warning With Distributed MIMO Radars . . . . . *D. Luo, G. Wen, Y. Liang, L. Zhu, and H. Song* 6044
A Dynamic Game Strategy for Radar Screening Pulsewidth Allocation Against Jamming Using Reinforcement Learning . . . . . *P. Liu, L. Wang, Z. Shan, and Y. Liu* 6059
Covariance Analysis of the Optimal Orbital Interception With Navigation Errors . . . . . *G. Zhang and H. Ma* 6073
Data-Driven Optimal Formation-Containment Control for a Group of Spacecrafts Subject to Switching Topologies . . . . . *M. Cheng, H. Liu, Y. Wan, K. P. Valavanis, and F. L. Lewis* 6087
Recognition and Estimation for Frequency-Modulated Continuous-Wave Radars in Unknown and Complex Spectrum Environments . . . . . *K. Chen, J. Zhang, S. Chen, S. Zhang, and H. Zhao* 6098
A Fast Algorithm for Onboard Atmospheric Powered Descent Guidance . . . . . *Y. Chen, G. Yang, L. Wang, H. Chen, Q. Gan, and Q. Xu* 6112
Long-Term Evolution of the Space Environment Considering Constellation Launches and Debris Disposal . . . . . *J. Zhang, Y. Yuan, K. Yang, and L. Li* 6124
Deployment for NOMA-UAV Base Stations Based on Hybrid Sparrow Search Algorithm . . . . . *J. Chen, X. Li, J. Xu, and Y. Wang* 6138
Digital Prototype Filter Alternatives for Processing Frequency-Stacked Mobile Subbands Deploying a Single ADC for Beamforming Satellites . . . . . *A. Coskun, S. Cetinsel, I. Kale, R. Hughes, P. Angeletti, and C. Ernst* 6150
Deeply Coupled GNSS Dual-Band Collaborative Tracking Using the Extended Strobe Correlator . . . . . *J. Xu, R. Yang, Z. Tang, X. Zhan, and Y. J. Morton* 6164
A Study of Licklider Transmission Protocol in Deep-Space Communications in Presence of Link Disruptions . . . . . *L. Yang, J. Liang, R. Wang, X. Liu, M. De Sanctis, S. C. Burleigh, and K. Zhao* 6179
Distributed Clustering for Secure Multitask Estimation Based on Adaptive Task Switching . . . . . *F. Chen, J. Li, Y. Zhang, X. Shao, and S. Duan* 6192
Challenges in Automotive MIMO Radar Calibration in Anechoic Chamber . . . . . *D. Raphaeli and I. Bilik* 6205
Robust Multiplexed Piecewise Affine MPC-Based Decentralized Control of Multisatellite Formations Using Aerodynamic Forces . . . . . *Y. Hu, Z. Lu, K. V. Ling, W. Liao, and X. Zhang* 6215
ISAR Imaging of Targets Exhibiting Micromotion Under the Joint Constraints of Low SNR and Sparse Rate . . . . . *Y. Mai, S. Zhang, W. Jiang, C. Zhang, K. Huo, and Y. Liu* 6233
Interference Suppression Method With MR-FDA-MIMO Radar . . . . . *Z. Wu, S. Zhu, J. Xu, L. Lan, and M. Zhang* 6250

(Contents Continued on Page 4777)

(Contents Continued from Page 4776)

Enhanced BNC Approach for Noncircular Signals Direction Finding With Sparse Array in the Scenario of Impulsive Noise . . . . . *X. Dong, M. Sun, J. Zhao, X. Zhang, and Y. Wang* 6265
High-Resolution Imaging and Micromotion Feature Extraction of Space Multiple Targets . . . . . *L. Han and C. Feng* 6278
Reduced-Complexity Subarray-Level Sparse Recovery STAP for Multichannel Airborne Radar WGMTI Application . . . . . *N. Cui, K. Xing, Z. Yu, and K. Duan* 6292
Variable False Alarm Rate Detection Framework for Phased Array Radar . . . . . *M. Liao, G. Cui, K. Xiong, T. Fan, and X. Yu* 6314
Appointed-Time Control for Flexible Hypersonic Vehicles with Conditional Disturbance Negation . . . . . *J. Sun, Z. Pu, Y. Chang, S. Ding, and J. Yi* 6327
MF-GCN: Motion Flow-Based Graph Network Learning Dynamics for Aerial IR Target Recognition . . . . . *X. Yang, S. Li, B. Cai, Z. Meng, and J. Yan* 6346
Adaptive Neural Network Extended State Observer-Based Finite-Time Convergent Sliding Mode Control for a Quad Tiltrotor UAV . . . . . *S. Shen, J. Xu, P. Chen, and Q. Xia* 6360
CPAD: Component Pixel-Aware Multispectral Image Destriping . . . . . *G. Xu, L. Deng, H. Wang, and H. Zhu* 6374
GSM Filter: A Learning Model of Measurement Noise Distributions for Bayesian Filtering . . . . . *D. Li, Y. Y. Xiong, A. R. Fang, and J. Q. Zhang* 6387
Automatic Modulation Recognition of Dual-Component Radar Signals Using ResSwinT–SwinT Network . . . . . *B. Ren, K. C. Teh, H. An, and E. Gunawan* 6405
ADP-Based Attitude-Tracking Control With Prescribed Performance for Hypersonic Vehicles . . . . . *S. Zhao, J. Wang, H. Xu, and B. Wang* 6419
Reference-Free Amplitude-Based WiFi Passive Sensing . . . . . *F. Colone, F. Filippini, M. Di Seglio, P. V. Brennan, R. Du, and T. X. Han* 6432
Spherical-Earth-Based Measurement Modeling for Practical OTHR Target Tracking . . . . . *Z. Wei, Z. Duan, and M. Mallick* 6452
ROSIA: Rotation-Search-Based Star Identification Algorithm . . . . . *C.-K. Chng, Á. P. Bustos, B. McCarthy, and T.-J. Chin* 6469
Online Bayesian Meta-Learning for Cognitive Tracking Radar . . . . . *C. E. Thornton, R. M. Buehrer, and A. F. Martone* 6485
Comments on the Convex Constrained Spacecraft Reorientation . . . . . *Y. Mashtakov and S. Shestakov* 6501
Outage Probability Analysis of Rate-Splitting Multiple-Access-Based Hybrid Satellite–Terrestrial Relay Network With Relay Selection . . . . . *M. Can and I. Altunbas* 6508
Tracking of Elliptical Object With Unknown but Fixed Lengths of Axes . . . . . *M. Li, J. Lan, and X. R. Li* 6518
Demand-Driven Beam Densification in Multibeam Satellite Communication Systems . . . . . *P. J. Honnaiah, E. Lagunas, S. Chatzinotas, and J. Krause* 6534
A Manifold-Based Airfoil Geometric-Feature Extraction and Discrepant Data Fusion Learning Method . . . . . *Y. Xiang, L. Hu, G. Zhang, J. Zhang, and W. Wang* 6555
Partial State Feedback MRAC-Based Reconfigurable Fault-Tolerant Control of Drag-Free Satellite With Bounded Estimation Error . . . . . *X. Sun, Q. Shen, and S. Wu* 6570
Dynamics and Control for Transverse Formation by a Distributed Drag Sail . . . . . *J. Ding, X. Zuo, M. Xu, L. Chen, and Y. Wang* 6587
Analog Maximum Peak Power Tracking Techniques for Small Satellites . . . . . *C. Torres, A. Garrigós, J. M. Blanes, P. Casado, and D. Marroquí* 6599
A Feedforward Quadrotor Disturbance Rejection Method for Visually Identified Gust Sources Based on Transfer Reinforcement Learning . . . . . *F. Song, Z. Li, and X. Yu* 6612
Prescribed-Time Fault-Tolerant Control for Fully Actuated Heterogeneous Multiagent Systems: A Hierarchical Design Approach . . . . . *Y. Ma, K. Zhang, and B. Jiang* 6624
A Learning-Inspired Strategy to Design Binary Sequences With Good Correlation Properties: SISO and MIMO Radar Systems . . . . . *O. Rezaei, M. Ahmadi, M. M. Naghsh, A. Aubry, M. M. Nayebi, and A. De Maio* 6637
Flexible Final-Time Stochastic Differential Dynamic Programming for Autonomous Vehicle Trajectory Optimization . . . . . *X. Sun, R. Chai, S. Chai, B. Zhang, and A. Tsourdos* 6658
Time-Optimal Path Tracking for Dual-Arm Free-Floating Space Manipulator System Using Convex Programming . . . . . *Q. An, Y. Zhang, Q. Hu, M. Li, J. Li, and A. Mao* 6670
Labeled Multi-Bernoulli Filter Based Multiple Resolvable Group Targets Tracking With Leader–Follower Model . . . . . *G. Li, G. Li, and Y. He* 6683
Finite-Time Tracking Control With Fast Reaching Condition for Disturbed More Electric Aircraft Direct Current Microgrid With Constant Power Loads . . . . . *Z. Zuo, N. Vafamand, S. Mobayen, and T. Dragičević* 6695

(Contents Continued on Page 4778)

(Contents Continued from Page 4777)

Adaptive Fault-Tolerant Formation Control for Heterogeneous UAVs-UGVs Systems With Multiple Actuator Faults . . . . . *Y. Ma, B. Jiang, J. Wang, and J. Gong* 6705
Time-Varying Formation Planning and Scaling Control for Tethered Space Net Robot . . . . . *Y. Liu, Z. Ma, F. Zhang, and P. Huang* 6717
An Efficient Approach for Coherent Integration Detection of High-Speed Maneuvering Targets With Arbitrary-Order Doppler Frequency Migrations . . . . . *J. Wan, X. Kang, X. Tan, D. Li, Z. Chen, and H. Liu* 6729
Open-Metric for Unknown Signal Inference . . . . . *X. Li, L. Liu, and Y. Zheng* 6749
ℓ_0-Norm Minimization-Based Robust Matrix Completion Approach for MIMO Radar Target Localization . . . . . *Z. Liu, X. P. Li, and H. C. So* 6759
Self-Calibration of a Network of Radar Sensors for Autonomous Robots . . . . . *T. Grebner, V. Janoudi, P. Schoeder, and C. Waldschmidt* 6771
Piecewise Trajectory and Angle Constraint-Based Fractional-Order Sliding Mode Control . . . . . *J. Fan, S. Chen, W. Wang, Y. Ji, and N. Liu* 6782
A Robust and Statistically Efficient Maximum-Likelihood Method for DOA Estimation Using Sparse Linear Arrays . . . . . *Z. Yang, X. Chen, and X. Wu* 6798
Low-Angle Target Tracking in Sea Surface Multipath Using Convolutional Neural Networks . . . . . *A. Karlsson, M. Jansson, and M. Hämäläinen* 6813
Effect of Target Motion on Equivalent Transmit Beamforming for the Frequency Diverse Array . . . . . *A. N. Chaudhry, H. S. Mir, and K. T. Wong* 6832
Cerebellar Model Articulation Neural Network-Based Distributed Fault Tolerant Tracking Control With Obstacle Avoidance for Fixed-Wing UAVs . . . . . *M. Qian, Z. Wu, and B. Jiang* 6841
Two-Dimensional Direction Finding Based on Cylindrical Nested Conformal Array . . . . . *M. Fu, Z. Zheng, and W.-Q. Wang* 6853
Maintenance Strategy for Elliptical Orbit Satellite With Air-Breathing Electric Propulsion . . . . . *X. Zuo, M. Xu, M. Huang, M. Li, and N. Peng* 6863
Ionospheric Scintillation Mitigation With Kalman PLLs Employing Radial Basis Function Networks . . . . . *R. A. M. Lopes, F. Antreich, F. Fohlmeister, M. Kriegel, and H. K. Kuga* 6878
A Collaborative Relay Tracking Method Based on Information Fusion for UAVs . . . . . *Y. He, H. Guo, X. Li, Z. Lu, and X. Li* 6894
Exploiting the Properties of Reciprocal Filter in Low-Complexity OFDM Radar Signal Processing Architectures . . . . . *J. T. Rodriguez, G. P. Blasone, F. Colone, and P. Lombardo* 6907
Memory Management Unit for Hardware-Assisted Dynamic Relocation in On-Board Satellite Systems . . . . . *B. Losa, P. Parra, A. Da Silva, Ó. R. Polo, J. I. G. Tejedor, A. Martínez, J. Sánchez, S. Sánchez, and D. Guzmán* 6923
Joint Generalized Inner Product Method for Main Lobe Jamming Suppression in Distributed Array Radar . . . . . *W. Pu, Z. Liang, J. Wu, and Q. Liu* 6940
Range-Ambiguous Sea Clutter Suppression for Multichannel Spaceborne Radar Applications Via Alternating APC Processing . . . . . *P. Huang, H. Yang, Z. Zou, X.-G. Xia, G. Liao, and Y. Zhang* 6954
CFAR Based NOMP for Line Spectral Estimation and Detection . . . . . *M. Xu, J. Zhu, J. Fang, N. Zhang, and Z. Xu* 6971
Internet of Underwater Things Infrastructure: A Shared Underwater Acoustic Communication Layer Scheme for Real-World Underwater Acoustic Experiments . . . . . *Z. Zhu, Y. Zhou, R. Wang, and F. Tong* 6991
Security-Reliability Tradeoffs for Satellite–Terrestrial Relay Networks With a Friendly Jammer and Imperfect CSI . . . . . *T. N. Nguyen, T. Van Chien, D.-H. Tran, V.-D. Phan, M. Voznak, S. Chatzinotas, Z. Ding, and H. V. Poor* 7004
Multistatic Localization by Differential Time Delays and Time Differences of Arrival in the Absence of Transmitter Position . . . . . *W. Wu, G. Wang, and K. C. Ho* 7020
Approximation-Free Attitude Fault-Tolerant Tracking Control of Rigid Spacecraft With Global Stability and Appointed Accuracy . . . . . *X. Huang, Z. Dong, K. Zhang, F. Zhang, and L. Zhang* 7035
TA-LSTM: A Time and Attribute Aware LSTM for Deep Flight Track Clustering . . . . . *Y. Fan, J. Liu, H. Ye, and Z. Lyu* 7047
Finite-Time Control of a Class of Nonlinear Underactuated Systems With Application to Underactuated Axisymmetric Spacecraft . . . . . *K.-K. Zhang, B. Zhou, H. Jiang, and G.-R. Duan* 7061
Koopman-Operator-Based Safe Learning Control for Spacecraft Attitude Reorientation With Angular Velocity Constraints . . . . . *J. Yao, Q. Hu, and J. Zheng* 7072
Spacecraft Depth Completion Based on the Gray Image and the Sparse Depth Map . . . . . *X. Liu, H. Wang, Z. Yan, Y. Chen, X. Chen, and W. Chen* 7086
Expectation Propagation With Context Adjustment for Smoothing of Jump Markov Linear Systems . . . . . *E. Sarıtaş and U. Orguner* 7098

(Contents Continued on Page 4779)

(Contents Continued from Page 4778)

Passive TMA in Cluttered Environment From Vertical Arrays and Sonobuoys Considering Propagation . . . . . *J. Payan, A.-C. Pérez, C. Jauffret, and D. Laneuville* 7115
Characteristic Area-Based Method for Continuous Coverage Analysis of Satellites Constellation . . . . . *M. Zhou, Z. Song, G. Dai, M. Wang, and X. Chen* 7128
Planet Craters Detection Based on Unsupervised Domain Adaptation . . . . . *Z. Zhang, Y. Xu, J. Song, Q. Zhou, J. Rasol, and L. Ma* 7140
Constrained Estimation Analysis and Physical Parameters Study for Chain Tethered Formation Systems . . . . . *G. Fang, Y. Zhang, Y. Sun, F. Zhang, and P. Huang* 7153
Polygon-Based Algorithms for *N*-Satellite Constellations Coverage Computing . . . . . *S. M. Henn, J. A. Fraire, and H. Hermanns* 7166
Dynamic UAV Swarm Confrontation: An Imitation Based on Mobile Adaptive Networks . . . . . *W. Xia, Z. Zhou, W. Jiang, and Y. Zhang* 7183
SINS/DVL Linear Initial Alignment Based on Lie Group $SE_3(3)$ . . . . . *L. Chang, H. Tang, G. Hu, and J. Xu* 7203
Fast Trajectory Planning for Approaching Disabled Satellites Based on Moving Frame . . . . . *P. Li, Y. Dong, and X. Ma* 7218
On Optimal Power Allocation in Multibeam Multicast NOMA for Satellite Communication Systems . . . . . *S. M. Ivari, N. A. K. Beigi, M. R. Soleymani, and Y. Shayan* 7233
Dynamic Path Planning Algorithm for Unmanned Surface Vehicle Under Island–Reef Environment . . . . . *J. Zhang, Y. Cui, G. Li, and J. Ren* 7252
Multiquadrotor Formation Tracking With Mixed Constraints: A Hierarchical Rolling Optimization Approach . . . . . *S.-S. Liu, T.-F. Ding, M.-F. Ge, X.-G. Dong, and Z.-W. Liu* 7269
Distributed Fixed-Time Leader-Following Formation Control for Multiquadrotors With Prescribed Performance and Collision Avoidance . . . . . *B. Li, W. Gong, Y. Yang, and B. Xiao* 7281
Generalized-Conversion-Based Nonlinear Filtering Using Deterministic Sampling for Target Tracking . . . . . *J. Lan* 7295